

## Bibliography

Adler AJ, Ronmans C, Calvert C, Filippi V. (2013). Estimating the Prevalence of Obstetric Fistula: A Systematic Review and Meta-Analysis. *BMC Pregnancy Childbirth* 13:246. doi: 10.1186/1471-2393-13-246.

Ahmed S, Holtz SA. (2007). Social and Economic Consequences of Obstetric Fistula: Life Changed Forever? *Int J Gynecol Obstet* 99(Suppl 1):S10–5. doi: 10.1016/j.ijgo.2007.06.011.

Arrowsmith SD. (2007). Urinary Diversion in the Vesico-Vaginal Fistula Patient: General Considerations Regarding Feasibility, Safety, and Follow-Up. *Int J Gynecol Obstet* 99(Suppl 1):S65–8. doi: 10.1016/j.ijgo.2007.06.028.

Arrowsmith S, Hamlin EC, Wall LL. (1996). Obstructed Labor Injury Complex: Obstetric Fistula Formation and the Multifaceted Morbidity of Maternal Birth Trauma in the Developing World. *Obstet Gynecol Surv* 51:568–74. doi: 10.1097/00006254-199609000-00024.

Barageine JK. (2015). Genital Fistula among Ugandan Women: Risk Factors, Treatment Outcomes, and Experiences of Patients and Spouses [PhD thesis]. Makerere University, Kampala and Karolinska Institute, Stockholm. <https://openarchive.ki.se/xmlui/handle/10616/44861>. Accessed July 22, 2021.

Breen M. (2019). *Manual of Obstetric Fistula Surgery*. Carlisle: The Foundation for the Global Library of Women's Medicine.

Breen M, Ingber M. (2019). Controversies in the Management of Vesicovaginal Fistula. *Best Pract Res Clin Obstet Gynaecol* 54:61–72. doi: 10.1016/j.bpobgyn.2018.06.005.

Browning A. (2006). A New Technique for the Surgical Management of Urinary Incontinence after Obstetric Fistula Repair. *BJOG* 113:475–8. doi: 10.1111/j.1471-0528.2006.00847.x.

Browning A. (2007). The Circumferential Obstetric Fistula: Characteristics, Management and Outcomes. *BJOG* 114:1172–6. doi: 10.1111/j.1471-0528.2007.01329.x.

Browning A. (2004). Prevention of Residual Urinary Incontinence Following Successful Repair of Obstetric Vesico-Vaginal Fistula Using a Fibro-Muscular Sling. *BJOG* 111:357–61. doi: 10.1111/j.1471-0528.2004.00080.x.

Browning A. (2006). Risk Factors for Developing Residual Urinary Incontinence after Obstetric Fistula Repair. *BJOG* 113:482–5. doi: 10.1111/j.1471-0528.2006.00875.x.

Browning A. (2012). The Problem of Continuing Urinary Incontinence after Obstetric Vesicovaginal Surgery. RCOG International News, September 2012. <https://www.rcog.org.uk/en/global-network/global-health-news/international-news/international-news-september-2012/the-problem-of-continuing-urinary-incontinence-after-obstetric-vesicovaginal-surgery>. Accessed July 22, 2021.

- Browning A, Whiteside S. (2015). Characteristics, Management, and Outcomes of Repair of Rectovaginal Fistula among 1100 Consecutive Cases of Female Genital Tract Fistula in Ethiopia. *Int J Gynecol Obstet* 131:70–3. doi: 10.1016/j.ijgo.2015.05.012.
- Campaign to End Fistula [website]. Fistula NGO Receives Health Award in Nigeria. 10 January, 2012. <http://www.endfistula.org/news/fistula-ngo-receives-health-award-nigeria>. Accessed July 22, 2021.
- Campbell IM, Asiimwe IS. (2021). *Nursing Care For Women With Childbirth Injuries*. Carlisle: UCIF, FIGO.
- Capes T, Ascher-Walsh C, Abdoulaye I, Brodman M. (2011). Obstetric Fistula in Low and Middle Income Countries. *Mt Sinai J Med* 78:352–61. doi: 10.1002/msj.20265.
- Carey MP, Goh JT, Fynes MM, Murray CJ. (2002). Stress Urinary Incontinence after Delayed Primary Closure of Genitourinary Fistula: A Technique for Surgical Management. *Am J Obstet Gynecol* 186:948–53. doi: 10.1067/mob.2002.122247.
- Castille YJ, Avocetien C, Zaongo D, Colas JM, Peabody JO, Rochat CH. (2015). One-Year Follow-up of Women Who Participated in a Physiotherapy and Health Education Program Before and After Obstetric Fistula Surgery. *Int J Gynecol Obstet* 128:264–6. doi: 10.1016/j.ijgo.2014.09.028.
- Castille YJ, Avocetien C, Zaongo D, Colas JM, Peabody JO, Rochat CH. (2014). Impact of a Program of Physiotherapy and Health Education on the Outcome of Obstetric Fistula Surgery. *Int J Gynecol Obstet* 124:77–80. doi: 10.1016/j.ijgo.2013.06.032.
- Catherine Hamlin Fistula Foundation [website]. Rehabilitation and Reintegration. [www.hamlin.org.au/what-we-do/rehabilitation-and-reintegration/](http://www.hamlin.org.au/what-we-do/rehabilitation-and-reintegration/). Accessed November 5, 2020.
- Cockshott WP. (1973). Pubic Changes Associated with Obstetric Vesico Vaginal Fistulae. *Clin Radiol* 24:241–7. doi: 10.1016/S0009-9260(73)80091-1.
- Comprehensive Community Based Rehabilitation in Tanzania (CCBRT) [website]. Towards a Fistula-Free Generation. [www.ccbrt.or.tz/programmes/disability/fistula/](http://www.ccbrt.or.tz/programmes/disability/fistula/). Accessed November 5, 2020.
- De Ridder D, Badlani GH, Browning A, Singh P, Sombie I, Wall LL. (2009). Fistulas in the developing world. In: Abrams P, Cardozo L, Khoury S, Wein A, eds. *Incontinence*, 4th ed. Paris: Health Publications Ltd. UK. <https://www.ics.org/committees/developingworld/professionaleducation/internationalconsultationonincontinence>
- EI Ayadi AM, Painter CE, Delamou A, et al. (2020). Rehabilitation and Reintegration Programming Adjunct to Female Genital Fistula Surgery: A Systematic Scoping Review. *Int J Gynecol Obstet*. 148(Suppl 1):42–58. doi: 10.1002/ijgo.13039.
- EI-Azab AS, Abolella HA, Farouk M. (2019). Update on vesicovaginal fistula: A systematic review. *Arab J Urol* 17:61–8. doi: 10.1080/2090598X.2019.1590033.

## Bibliography

- Emanuel EJ, Wendler D, Grady C. (2000). What Makes Clinical Research Ethical? *JAMA* 283:2701–11. doi: 10.1001/jama.283.20.2701.
- Fisch M, Hohenfellner R. (2007). Sigma-Rectum Pouch (Mainz Pouch II). *BJU Int* 99:945–60. doi: 10.1111/j.1464-410X.2007.06810.x.
- Frajzyngier V, Li G, Larson E, Ruminjo J, Barone MA. (2013). Development and Comparison of Prognostic Scoring Systems for Surgical Closure of Genitourinary Fistula. *Am J Obstet Gynecol* 208:112.e1–11. doi: 10.1016/j.ajog.2012.11.040.
- Freedom From Fistula [website]. Fistula Ambassadors. [www.freedomfromfistula.org.uk/programmes/fistula-ambassadors](http://www.freedomfromfistula.org.uk/programmes/fistula-ambassadors). Accessed November 5, 2020.
- Goh JT. (2004). A New Classification for Female Genital Tract Fistula. *Aust N Z J Obstet Gynaecol* 44:502–4. doi: 10.1111/j.1479-828X.2004.00315.x.
- Goh JT, Browning A, Berhan B, Chang A. (2008). Predicting the Risk of Failure of Closure of Obstetric Fistula and Residual Urinary Incontinence Using a Classification System. *Int Urogynecol J Pelvic Floor Dysfunct* 19:1659–62. doi: 10.1007/s00192-008-0693-9.
- Graham W, Wagaarachchi P, Penney G, et al. (2000). Criteria for Clinical Audit of the Quality of Hospital-Based Obstetric Care in Developing Countries. *Bull World Health Organ* 78:614–20.
- Hancock B, Browning A. (2009). *Practical Obstetric Fistula Surgery*. London: Royal Society of Medicine Press Ltd.
- Hawkins L, Spitzer RF, Christoffersen-Deb A, Leah J, Mabeya H. (2013). Characteristics and Surgical Success of Patients Presenting for Repair of Obstetric Fistula in Western Kenya. *Int J Gynecol Obstet* 120:178–82. doi: 10.1016/j.ijgo.2012.08.014.
- Hillary CJ, Osman NI, Hilton P, Chapple CR. (2016). The Aetiology, Treatment, and Outcome of Urogenital Fistulae Managed in Well- and Low-Resourced Countries: A Systematic Review. *Eur Urol* 70:478–92. doi: 10.1016/j.eururo.2016.02.015.
- Hilton P, Ward A. (1998). Epidemiological and Surgical Aspects of Urogenital Fistulae: A Review of 25 Years' Experience in Southeast Nigeria. *Int Urogynecol J Pelvic Floor Dysfunct* 9:189–94. doi: 10.1007/BF01901602.
- Hilton P. (2016). Trends in the Aetiology of Urogenital Fistula: A Case of 'Retrogressive Evolution'? *Int Urogynecol J* 27:831–7. doi: 10.1007/s00192-015-2919-y.
- Hinman F, Jr. (1989). Bladder Flap Repair (Boari). In: *Atlas of Urologic Surgery*. Philadelphia: Saunders.
- Kelly J, Winter HR. (2007). Reflections on the Knowledge Base for Obstetric Fistula. *Int J Gynecol Obstet* 99(Suppl 1):S21–4. doi: 10.1016/j.ijgo.2007.06.017.
- Keyser L, McKinney J. (2020). Implementing Physical Rehabilitation Services into Comprehensive Fistula and Maternity Care: A Training Guide for Health Care Workers. USAID, EngenderHealth,

- Fistula Care Plus, Mama LLC. <https://www.themamas.world/training-guide>. Accessed July 22, 2021.
- Keyser L, McKinney J, Salmon C, Furaha C, Kinsindja R, Benfield N. (2014). Analysis of a Pilot Program to Implement Physical Therapy for Women with Gynecologic Fistula in the Democratic Republic of Congo. *Int J Gynecol Obstet* 127:127–31. doi: 10.1016/j.ijgo.2014.05.009.
- Lawal O, Bello O, Morhason-Bello I, Abdus-Salam R, Ojengbede O. (2019). Our Experience with Iatrogenic Ureteric Injuries among Women Presenting to University College Hospital, Ibadan: A Call to Action on Trigger Factors. *Obstet Gynecol Int* 2019:6456141 doi: 10.1155/2019/6456141.
- Lawson JB. (1968). Tropical Gynaecology: Birth-Canal Injuries. *Proc R Soc Med* 61:368–70. doi: 10.1177/003591576806100424.
- Lewis G, De Bernis L, eds. (2006). Obstetric Fistula: Guiding Principles for Clinical Management and Programme Development Documents. Geneva: WHO.
- Longombe AO, Claude KM, Ruminjo J. (2008). Fistula and Traumatic Genital Injury from Sexual Violence in a Conflict Setting in Eastern Congo: Case Studies. *Reprod Health Matters* 16:132–41. doi: 10.1016/S0968-8080(08)31350-0.
- Lyimo MA, Mosha IH. (2019). Reasons for Delay in Seeking Treatment among Women with Obstetric Fistula in Tanzania: A Qualitative Study. *BMC Womens Health* 19:93. doi: 10.1186/s12905-019-0799-x.
- Maheu-Giroux M, Filippi V, Samadoulougou S, et al. (2015). Prevalence of Symptoms of Vaginal Fistula in 19 Sub-Saharan Africa Countries: A Meta-Analysis of National Household Survey Data. *Lancet Glob Health* 3:e271–8. doi: 10.1016/S2214-109X(14)70348-1.
- Maroyi R, Keyser L, Hosterman L, Notia A, Mukwege D. (2020). The Mobile Surgical Outreach Program for Management of Patients with Genital Fistula in the Democratic Republic of Congo. *Int J Gynecol Obstet* 148(Suppl 1):27–32. doi: 10.1002/ijgo.13036.
- Mohammad RH. (2007). A Community Program for Women's Health and Development: Implications for the Long-Term Care of Women with Fistulas. *Int J Gynecol Obstet* 99(Suppl 1):S137–42. doi: 10.1016/j.ijgo.2007.06.035.
- Morgan MA, Polan ML, Melecot HH, Debru B, Sleemi A, Husain A. (2009). Experience with a Low-Pressure Colonic Pouch (Mainz II) Urinary Diversion for Irreparable Vesicovaginal Fistula and Bladder Extrophy in East Africa. *Int Urogynecol J Pelvic Floor Dysfunct* 20:1163–8. doi: 10.1007/s00192-009-0936-4.
- Mpunga Mafu M, Banze DF, Nembunzu D, et al. (2020). Frequency and Management of Non-Obstetric Fistula in the Democratic Republic of Congo: Experience from the Fistula Care Plus Project. *Trop Med Int Health* 25:687–94. doi: 10.1111/tmi.13394.

- Mselle LT, Moland KM, Evjen-Olsen B, Mvungi A, Kohi TW. (2011). 'I Am Nothing': Experiences of Loss among Women Suffering from Severe Birth Injuries in Tanzania. *BMC Womens Health* 11:49. doi: 10.1186/1472-6874-11-49.
- Muleta M, Rasmussen S, Kiserud T. (2010). Obstetric Fistula in 14,928 Ethiopian Women. *Acta Obstet Gynecol Scand* 89:945–51. doi: 10.3109/00016341003801698.
- Muleta M, Williams G. (1999). Postcoital Injuries Treated at the Addis Ababa Fistula Hospital, 1991–97. *Lancet* 354:2051–2. doi: 10.1016/S0140-6736(99)05161-2.
- National Institute for Clinical Excellence. (2002). *Principles for Best Practice in Clinical Audit*. Oxford: Radcliffe Medical Press Ltd. <https://www.nice.org.uk/media/default/About/what-we-do/Intro-practice/principles-for-best-practice-in-clinical-audit.pdf>. Accessed July 22, 2021.
- O'Conor VJ Jr, Sokol JK, Bulkley GJ, Nanninga JB. (1973). Suprapubic closure of vesicovaginal fistula. *J Urol* 109(1):51–4. doi:10.1016/s0022-5347(17)60345-8.
- Ojengbede OA, Baba Y, Morhason-Bello IO, et al. (2014). Group Psychological Therapy in Obstetric Fistula Care: A Complementary Recipe for the Accompanying Mental Ill Health Morbidities? *Afr J Reprod Health* 18:155–9.
- Onsrud M, Sjøveian S, Mukwege D. (2009). O722 Sexual Violence-Related Fistulas in the Democratic Republic of Congo. *Int J Gynecol Obstet* 107(Suppl 2). Abstracts of XIX FIGO World Congress of Gynecology and Obstetrics. doi: 10.1016/s0020-7292(09)61095-x.
- Onsrud M Sjøveian S, Mukwege D. (2011). Cesarean Delivery-Related Fistulae in the Democratic Republic of Congo. *Int J Gynecol Obstet* 114:10–4. doi: 10.1016/j.ijgo.2011.01.018.
- Padmanabhan P. (2019). Bladder Flap Repair (Boari). In: Smith JA, Howards SS, Preminger GM, Dmochowski RR, eds. *Hinman's Atlas of Urologic Surgery*. 4th Edition. Elsevier. 293.
- Pope R, Beddow M. (2020) A Review of Surgical Procedures to Repair Obstetric Fistula. *Int J Gynecol Obstet* 148(Suppl 1):22–6. doi: 10.1002/ijgo.13035.
- Pope R, Ganesh P, Wilkinson J. (2018). Pubococcygeal Sling versus Refixation of the Pubocervical Fascia in Vesicovaginal Fistula Repair: A Retrospective Review. *Obstet Gynecol Int* 2018:6396387. doi: 10.1155/2018/6396387.
- Premium Times Nigeria [website]. How Thousands of Women Get VVF Treatment in North-West Nigeria. May 6, 2018. <https://www.premiumtimesng.com/health/health-features/267412-how-thousands-of-women-get-treatment-from-vvf-in-north-west-nigeria.html>. Accessed July 22, 2021.
- Raassen TJ, Ngongo CJ, Mahendeka MM. (2018). Diagnosis and Management of 365 Ureteric Injuries Following Obstetric and Gynecologic Surgery in Resource-Limited Settings. *Int Urogynecol J* 29:1303–9. doi: 10.1007/s00192-017-3483-4.

- Raassen TJ, Ngongo CJ, Mahendeka MM. (2014). Iatrogenic Genitourinary Fistula: An 18-Year Retrospective Review of 805 Injuries. *Int Urogynecol J* 25:1699–706. doi: 10.1007/s00192-014-2445-3.
- Raassen TJ, Verdaasdonk EG, Vierhout ME. (2008). Prospective Results after First-Time Surgery for Obstetric Fistulas in East African Women. *Int Urogynecol J Pelvic Floor Dysfunct* 19:73–9. doi: 10.1007/s00192-007-1a0389-6.
- Ramsey K, Iliyasu Z, Idoko L. (2007). Fistula Fortnight: Innovative Partnership Brings Mass Treatment and Public Awareness towards Ending Obstetric Fistula. *Int J Gynecol Obstet* 99(Suppl 1):S130–6. doi: 10.1016/j.ijgo.2007.06.034.
- Rosa W, ed. (2018), Appendix: Transforming Our World: The 2030 Agenda for Sustainable Development. In: A New Era in Global Health. Springer Publishing Company: New York. doi: 10.1891/9780826190123.ap02
- Seim AR, Alassoum Z, Bronzan RN, Mainassara AA, Jacobsen JL, Gali YA. (2014). Pilot Community-Mobilization Program Reduces Maternal and Perinatal Mortality and Prevents Obstetric Fistula in Niger. *Int J Gynecol Obstet* 127:269–74. doi: 10.1016/j.ijgo.2014.06.016.
- Sih AM, Kopp DM, Tang JH, et al. (2016). Association between Parity and Fistula Location in Women with Obstetric Fistula: A Multivariate Regression Analysis. *BJOG* 123:831–6. doi: 10.1111/1471-0528.13901.
- Slinger G, Trautvetter L. (2020). Addressing the Fistula Treatment Gap and Rising to the 2030 Challenge. *Int J Gynecol Obstet* 148(Suppl 1):9–15. doi: 10.1002/ijgo.13033.
- Slinger G, Trautvetter L, Browning A, Rane A. (2018). Out of the Shadows and 6000 Reasons to Celebrate: An Update from FIGO's Fistula Surgery Training Initiative. *Intl J Gynecol Obstet* 141, no. 3: 280–83. doi: 10.1002/ijgo.12482
- Stanton C, Holtz SA, Ahmed S. (2007). Challenges in Measuring Obstetric Fistula. *Int J Gynecol Obstet* 99(Suppl 1):S4–9. doi: 10.1016/j.ijgo.2007.06.010.
- Tasnim N, Bangash K, Amin O, Luqman S, Hina H. (2020). Rising Trends in Iatrogenic Urogenital Fistula: A New Challenge. *Int J Gynecol Obstet* 148(Suppl 1):33–6. doi: 10.1002/ijgo.13037.
- Tebeu PM, Fomulu JN, Khaddaj S, de Bernis L, Delvaux T, Rochat CH. (2012). Risk Factors for Obstetric Fistula: A Clinical Review. *Int Urogynecol J* 23:387–94. doi: 10.1007/s00192-011-1622-x.
- Tennfjord MK, Muleta M, Kiserud T. (2014). Musculoskeletal Sequelae in Patients with Obstetric Fistula – a Case–Control Study. *BMC Womens Health* 14:136. doi: 10.1186/s12905-014-0136-3.
- TERREWODE [website]. Social Reintegration. [www.terrewode.com/social-reintegration/](http://www.terrewode.com/social-reintegration/). Accessed November 5, 2020.

## Bibliography

- Tsui AO, Creanga AA, Ahmed S. (2007). The Role of Delayed Childbearing in the Prevention of Obstetric Fistulas. *Int J Gynecol Obstet* 99(Suppl 1):S98–107. doi: 10.1016/j.ijgo.2007.06.024.
- Tunçalp Ö, Tripathi V, Landry E, Stanton CK, Ahmed S. (2015). Measuring the Incidence and Prevalence of Obstetric Fistula: Approaches, Needs and Recommendations. *Bull World Health Organ* 93:60–2. doi: 10.2471/BLT.14.141473.
- UNFPA. (2002). Second Meeting of the Working Group for the Prevention and Treatment of Obstetric Fistula. Addis Ababa, 30 October to 1 November 2002.  
[https://www.unfpa.org/sites/default/files/pub-pdf/fistula\\_meeting02\\_eng.pdf](https://www.unfpa.org/sites/default/files/pub-pdf/fistula_meeting02_eng.pdf). Accessed July 22, 2021.
- Waaldijk K. (1995). Surgical Classification of Obstetric Fistulas. *Int J Gynecol Obstet* 49:161–3. doi: 10.1016/0020-7292(95)02350-I.
- Waaldijk K. (1994). The Immediate Surgical Management of Fresh Obstetric Fistulas with Catheter and/or Early Closure. *Int J Gynecol Obstet* 45:11–6. doi: 10.1016/0020-7292(94)90759-5.
- Waaldijk K, Armiya'u YD. (1993). The Obstetric Fistula: A Major Public Health Problem Still Unsolved. *Int Urogynecol J* 4:126–8. doi: 10.1007/BF00376428.
- Waaldijk K, Elkins TE. (1994). The Obstetric Fistula and Peroneal Nerve Injury: An Analysis of 947 Consecutive Patients. *Int Urogynecol J* 5:12–4. doi: 10.1007/BF00451704.
- Waaldijk K. (2018). Obstetric Trauma Surgery Art and Science: post fistula repair urine incontinence; kees urethralization plus refixation. <https://isofs-global.org/public/uploads/file-15.pdf>. Accessed July 22, 2021.
- Waaldijk K. (2004). The Immediate Management of Fresh Obstetric Fistulas. *Am J Obstet Gynecol* 191:795–9. doi: 10.1016/j.ajog.2004.02.020.
- Wall LL. (2007). Ethical Issues in Vesico-Vaginal Fistula Care and Research. *Int J Gynecol Obstet* 99(Suppl 1):S32–9. doi: 10.1016/j.ijgo.2007.06.020.
- Wall LL. (2007). Where Should Obstetric Vesico-Vaginal Fistulas Be Repaired: At the District General Hospital or a Specialized Fistula Center? *Int J Gynecol Obstet* 99(Suppl 1):S28–31. doi: 10.1016/j.ijgo.2007.06.019.
- Wall LL. (2006). Obstetric Vesicovaginal Fistula as an International Public-Health Problem. *Lancet* 368:1201–9. doi: 10.1016/S0140-6736(06)69476-2.
- Wall LL, Karshima JA, Kirschner C, Arrowsmith SD. (2004). The Obstetric Vesicovaginal Fistula: Characteristics of 899 Patients from Jos, Nigeria. *Am J Obstet Gynecol* 190:1011–9. doi: 10.1016/j.ajog.2004.02.007.
- Wall LL, Arrowsmith SD, Hancock BD. (2008). Ethical Aspects of Urinary Diversion for Women with Irreparable Obstetric Fistulas in Developing Countries. *Int Urogynecol J Pelvic Floor Dysfunct* 19:1027–30. doi: 10.1007/s00192-008-0559-1.

- Watt MH, Mosha MV, Platt AC, et al. (2017). A Nurse-Delivered Mental Health Intervention for Obstetric Fistula Patients in Tanzania: Results of a Pilot Randomized Controlled Trial. *Pilot Feasibility Stud* 3:35. doi: 10.1186/s40814-017-0178-z.
- Watt MH, Wilson SM, Sikkema KJ, et al. (2015). Development of an Intervention to Improve Mental Health for Obstetric Fistula Patients in Tanzania. *Eval Program Plann* 50:1–9. doi: 10.1016/j.evalprogplan.2015.01.007.
- Wegner MN, Ruminjo J, Sinclair E, Pesso L, Mehta M. (2007). Improving Community Knowledge of Obstetric Fistula Prevention and Treatment. *Int J Gynecol Obstet* 99(Suppl 1):S108–11. doi: 10.1016/j.ijgo.2007.06.030.
- Weston K, Mutiso S, Mwangi JW, Qureshi Z, Beard J, Venkat P. (2011). Depression among Women with Obstetric Fistula in Kenya. *Int J Gynecol Obstet* 115:31–3. doi: 10.1016/j.ijgo.2011.04.015.
- Wilkinson J, Pope R, Kammann TJ, et al. (2016). The Ethical and Technical Aspects of Urinary Diversions in Low-Resource Settings: A Commentary. *BJOG* 123:1273–7. doi: 10.1111/1471-0528.13934.
- Williams G, Broughton S, Worku H, Tekle H. (2010). Five Years Experience of Ureterovaginal Fistulae Following Obstetric or Gynecological Intervention in Ethiopia. *Afr J Urol* 16:17–9. doi: 10.1007/s12301-010-0004-9.
- Wright J, Ayenachew F, Ballard KD. (2016). The Changing Face of Obstetric Fistula Surgery in Ethiopia. *Int J Womens Health* 8:243–8. doi: 10.2147/IJWH.S106645.