

## Index

- Abbè-McIndoe procedure 144
- abdominal approach/route
- bladder stones 131–2, 136
  - neovagina 190–1
  - postoperative management for repairs via 227
  - rectovaginal fistula (high/scarred) 83–4, 87, 88
  - ureteric fistulas 124, 125
  - vesicocervical/vesicouterine fistulas 94–5, 101
  - vesicovaginal fistulas (vault) 58–9, 62, 64
- abdominal reimplantation of ureters 118, 119
- abdominovaginal approach,
- circumferential/stenosed rectovaginal fistulas 203–4, 208, 210
- acid-base disturbances, urinary diversion 180–1, 182
- administration 219
- aetiological factors 3–5
- aetiopathogenesis 2
- Africa 118
- Sub-Saharan 1, 2
- ambassador programmes (fistula) 22
- amenorrhoea, secondary 224
- anaesthetic complications
- intraoperative 221
  - postoperative 221–2
- anal incontinence (faecal incontinence) 88, 182, 186, 209, 218, 223, 232–3
- anal reflex, assessment 15
- anal sphincters 15
- perineal tears and 32
  - rectovaginal fistulas and 53
    - circumferential/stenosed 209
    - high/scarred 88
  - urinary diversion and 178
- anastomoses
- colonic neovagina 191, 192, 196
  - rectovaginal fistula (circumferential/stenosed) 202, 203, 204, 209
- anti-incontinence mechanism 161, 172
- pubourethral ligament as 156, 166
- anuria 222
- anus, digital examination 15, 48
- apareunia 224
- Asherman's syndrome 13, 190, 224
- Asia, Southeast 1, 2
- assessment
- outcome *see* outcome assessment
  - patient 12–16
  - preoperative *see* preoperative assessment
  - surgical skills xi
    - performance-based *see* performance-based assessment
- audit 235–6
- baseline observations 23
- bladder
- capacity, assessment 15
  - catheters *see* catheterisation
  - corner fistula and bladder mobilisation into paravesical space 113
  - direction of closure 9
  - stones 129–39
    - postoperative 224
  - training (re-education programme) and schedule 231–2
  - ureteric fistula repair and 125
  - vesicocervical/vesicouterine fistula repair and 100
  - vesicovaginal fistulas repair and
    - circumferential 71, 76
    - simple 42
    - vault 58, 63
  - voiding *see* voiding
  - see also* cystoscopy *and* entries under vesico-
- bleeding *see* haemorrhage

- blood tests 24
- bowel (preoperative)
  - evacuation 24, 36, 57, 69, 93, 105, 130, 155, 166
  - preparation 24, 221
  - see also* colon; faeces
- breakdown of repair 224
- breastfeeding 24, 27, 217
  
- caesarean section recovery ward 217
- catheterisation (bladder/urethra)
  - bladder stones 131, 132, 133
  - blocked catheter 222
  - for incontinence (ongoing) 166, 167, 168
  - incontinence following catheter removal 223, 225
  - neovagina (colonic) 190, 192
  - perineal tears 29
  - rectovaginal fistulas 49, 227
    - circumferential/stenosed 204, 205
    - high/scarred 85
  - residual and corner fistulas 106, 107, 108, 110, 114
  - ureteric fistulas 119, 120, 121, 122
  - urethral fistula and reconstruction 156, 157
  - urinary diversion 179
  - vaginal reconstruction 142, 147
  - vesicocervical/vesicouterine fistulas 94, 95, 96
  - vesicovaginal fistulas 39, 226–7
    - circumferential 70, 72
    - vault 58, 60
- cervix
  - bladder mobilisation from 100
  - fistulous communication between bladder and (vesicocervical fistula) 92–103
  - repair 101
- circumferential stenosed rectovaginal fistulas 200–12
- circumferential vesicovaginal fistulas 68–79
  - corner fistula following repair of 105, 108
- classification of obstetric fistulas 7–11
- clinical prevention of fistulas 5–6
- colic artery, left 196
- colon (sigmoid)
  - neovagina made from 189–99
  - urinary diversion made with 185
- colostomy 23, 81, 201, 205
  - defunctioning 204, 210
- communication 234
- comorbidities in patient assessment 12–13
  - holistic care 19–20
- competency levels *see* levels
- complications (of surgery) 221–5
  - bladder stones 132, 137
  - immediate postoperative 221–3
  - incontinence (ongoing) 168, 172
  - intraoperative 221
  - late postoperative 224–5
  - neovagina (colonic) 192, 197
  - perineal tears 28–9, 32
  - rectovaginal fistula 49, 53
    - circumferential/stenosed 205, 210
    - high/scarred 84, 89
  - residual and corner fistulas 110, 114
  - ureteric fistulas 121, 126
  - urethral fistula and reconstruction 157, 161
  - urinary diversion 180–1, 186
  - vaginal reconstruction 146–7, 151
  - vesicocervical/vesicouterine fistulas 96, 101
  - vesicovaginal fistulas 38–9, 43
    - circumferential 72, 77
    - vault 60, 64
- congenital conditions 5, 141
- conservative management 17–24
  - vaginal stenosis 141
- continence *see* anti-incontinence mechanism; incontinence
- corner and residual fistulas 104–16
- counselling, urinary diversion 181, 185
- cystoscopy 23

- Davydov procedure (peritoneal pull-through)  
145–6
- decision-making 24  
patient at heart of process 214
- deep vein thrombosis 222
- delivery  
future, perineal tears and 29  
place and mode of 14
- detrusor overactivity 225
- diagnosis (in patient assessment) 14–17  
bladder stones 130  
incontinence (ongoing) 165–6  
for Mainz pouch II (urinary diversion) 178  
perineal tears 27  
rectovaginal fistulas 47  
circumferential/stenosed 201  
high/scarred 81  
residual and corner fistulas 105  
ureteric fistulas 118  
urethral fistula 155  
vaginal stenosis 141, 190  
vesicocervical/vesicouterine fistulas 93  
vesicovaginal fistulas 36  
circumferential 69  
vault 57
- diameter (size), obstetric fistulas 8, 10, 11
- diet (postoperative)  
bladder stones 133  
incontinence (ongoing) 169  
neovagina (colonic) 192  
perineal tears 29  
rectovaginal fistulas 47, 227  
circumferential/stenosed 205, 206  
high/scarred 85  
residual and corner fistulas 110  
ureteric fistulas 122  
urethral fistula and reconstruction 157  
urinary diversion 181  
vaginal reconstruction 147  
vesicocervical/vesicouterine fistulas  
96
- vesicovaginal fistulas 39, 227  
circumferential 72  
vault 60  
*see also* malnutrition
- digital examination genital tract 15  
anus 15, 48
- discharge advice (specific) 233–4  
bladder stones 133  
incontinence (ongoing) 169  
neovagina (colonic) 193  
perineal tears 29  
rectovaginal fistulas 50, 233  
circumferential/stenosed 205–6  
high/scarred 85  
residual and corner fistulas 110  
ureteric fistulas 122  
urethral fistula and reconstruction 158  
urinary diversion 181–2  
vaginal reconstruction 147  
vesicocervical/vesicouterine fistulas 96–7  
vesicovaginal fistulas 39, 233  
circumferential 73  
vault 60
- drugs  
pharmacy 217  
postoperative 226
- dye test 15, 228–9  
rectovaginal fistulas 16–17, 47, 49, 231  
circumferential/stenosed 205  
high/scarred 81, 85  
residual and corner fistulas 105, 106, 107,  
108, 113  
ureteric fistula 118, 121, 125  
vaginal reconstruction 142  
vesicocervical/vesicouterine fistula 93, 94,  
100  
vesicovaginal fistulas 16, 228–9  
circumferential 69, 70, 76  
simple 36, 37, 39, 42  
vault 63
- dyspareunia 224

- education
  - community/academic 22–3, 219
  - fistula prevention 6–7
- electrolytes imbalances, urinary diversion 180–1
- embolism, pulmonary 222
- epidemiology 1–2
  - see also* prevalence
- episiotomy
  - rectovaginal fistulas (high/scarred) 83
  - residual and corner fistulas 113
- ethical research 237–8
- faeces (stools)
  - examination 23
  - incontinence/leakage (anal incontinence) 88, 182, 186, 209, 218, 223, 232–3
  - intraoperative contamination 221
  - soiling over perineum 29
  - spillage 48, 82
- family planning 233–4
- fat graft, Martius 109, 113
- feces *see* faeces
- fertility 233–4
  - postoperative (secondary) problems 224
- FIGO training centre, becoming 220
- finances 219
- fistula (basics) 1–24
  - aetiological factors 3–5
  - aetiopathogenesis 2–3
  - definition 1–2
  - epidemiology *see* epidemiology; prevalence
  - nonobstetric, causes 4–5
  - obstetric *see* obstetric fistulas
  - prevention 5–7
  - treatment facilities/services/care 213–20
    - additional services 218–19
    - choosing a model for provision 214–16
    - core services 216–18
    - determining need for provision 213–14
    - developing proposals for 220
    - maintaining 219–20
    - setting up 216–19
    - specialised and dedicated 216–18
- fistula campaigns/camps 214–15
- flaps
  - incontinence (ongoing) 168
  - rectovaginal fistula (high/scarred) 88
  - ureteric fistula 119
  - vaginal, for urethral fistula and reconstruction 161, 172
  - vaginal reconstruction 141, 142, 142–4, 146, 147
  - vesicovaginal fistula (circumferential) 70, 72
- flatal incontinence 88, 209, 218, 232–3
- fluid schedule 232
- foetal sequelae of prolonged obstructed labour 3
- follow-up appointments 234
  - colonic neovagina 193
- gender issues 6
- General Logbook xi
- genital tract/reproductive tract, digital examination and patency 15
- genito-anorectal fistulas *see* rectovaginal fistulas
- genitourinary fistulas *see* vesicovaginal fistulas
- Goh classification system 10, 11
- grafts
  - corner and residual fistula 109, 113
  - ongoing incontinence 168
  - vaginal reconstruction 141, 142, 144
- haematoma 222
- haematometra 224
- haematuria 222
- haemorrhage (bleeding)
  - intraoperative 221
  - postoperative 223
  - secondary 223
- haemorrhoidal arteries 196
- health care systems, local 213–14

- health care workers (staff) development 219
- health education on prevention of fistulas 6–7
- history-taking 14
- bladder stones 130
  - incontinence (ongoing) 165
  - perineal tears 27
  - rectovaginal fistulas 47
    - circumferential/stenosed 200–1
    - high/scarred 80–1
  - residual and corner fistulas 105
  - ureteric fistulas 118
  - urethral fistula and reconstruction 155
  - urinary diversion 178
  - vaginal reconstruction 141
  - vaginal stenosis 141, 189–90
  - vesicocervical/vesicouterine fistulas 93
  - vesicovaginal fistulas 36
    - circumferential 69
    - vault 56
- holistic care 19–22, 214, 215
- home
- delivery at, unattended 6
  - returning 234
- hygiene (postoperative)
- perineal tears 29
  - rectovaginal fistula 227
  - vesicovaginal fistula 226–7
- iatrogenic injury 221
- fistula due to 2, 4
- ileal conduit 177
- iliac vessel injury 121
- imaging (radiology) 218
- improvements, making and sustaining 236
- income-generating activities 22, 219
- incontinence and leakage 164–74, 231–3
- clinic 218
  - faecal 88, 209, 218, 223, 232–3
  - flatal 88, 209, 218, 232–3
  - ongoing 161, 164–74, 231–3
  - urinary *see* urinary incontinence
  - see also* anti-incontinence mechanism
- infection
- fistula due to 4–5
  - renal, urinary diversion and 181
  - secondary haemorrhage due to 223
- infertility, secondary 224
- injury/trauma
- iatrogenic *see* iatrogenic injury
  - non-obstetric (fistula due to) 4
  - obstetric (fistula due to) 4
    - severe/inoperable 176
- integrated fistula treatment units 215–16
- intestine *see* bowel
- intraoperative complications 221
- kidney (in urinary diversion)
- health/function 178, 180, 182
  - infection 181
- labial flaps, vaginal reconstruction 144
- laboratory services 217
- labour (prolonged obstructed) 1, 2, 5
- maternal and foetal sequelae 3
  - neurological disorders caused by 15
  - patient assessment 12–13
  - vesicovaginal fistula and 35, 36
    - conservative management 17–20
- levels (of competence) *zi-x*
- level 1 *xii*, 25–66
  - level 2 *xii*, 67–174
  - level 3 *xii*, 175–220
- local healthcare systems 213–14
- location (site), obstetric fistulas 7, 10, 11
- Mainz pouch II urinary diversion 176–88
- malnutrition 20
- Martius graft 109, 113
- maternal sequelae of prolonged obstructed labour 3
- maternity waiting ward 217
- medical history, previous 14
- medical registration and records 216–17
- mesenteric vessels 121, 191, 196

- mixed methods research 238
- mobilisation (patient) 219
- Module Logbook xi
- neovagina
  - colonic 189–99
  - peritoneal 146
- neurological disorders caused by prolonged labour 15
- non-obstetric causes of fistulas 4–5
- nutrition; *see* diet; malnutrition
- obstetric causes of fistulas 3–4
  - see also* delivery; labour (prolonged obstructed); maternity waiting ward; postcaesarean section ward; pregnancy
- obstetric fistulas (basics)
  - classification 7–11
  - epidemiology 1
    - establishing prevalence 213
  - injury causing *see* injury
  - patient assessment 12–24
  - setting up a treatment facility 216–20
- operating theatre 217
- outcome assessment (surgical) 227–31
  - bladder stones 133
  - incontinence (ongoing) 169
  - neovagina (colonic) 193
  - perineal tears 29
  - rectovaginal fistulas 49–50, 231
    - circumferential/stenosed 205, 210
    - high/scarred 85
  - residual and corner fistulas 110
  - ureteric fistulas 122
  - urethral fistula and reconstruction 158
  - urinary diversion 181
  - vaginal reconstruction 147
  - vesicocervical/vesicouterine fistulas 96
  - vesicovaginal fistulas 39, 228–30
    - algorithm 230
    - circumferential 72
    - vault 60
- outpatient area 217
- outreach programme 219
- overflow, urinary retention with 225
- paravesical space, corner fistulas and bladder mobilisation into 113
- patients
  - assessment *see* preoperative assessment
  - communication and support 234
  - at heart of decision-making process 214
  - medical registration and records 216–17
  - mobilisation 219
  - preparation *see* preparation
  - respect when participating in research 237
- performance, measuring 236
- performance-based assessment xi
  - bladder stones 134–7
  - incontinence (ongoing) 170–3
  - neovagina (colonic) 194–8
  - perineal tears 30–3
  - rectovaginal fistulas 51–4
    - circumferential/stenosed 207–11
    - high/scarred 86–90
  - residual and corner fistulas 111–15
  - ureteric fistulas 123–7
  - urethral fistula and reconstruction 159–61
  - urinary diversion 183–7
  - vaginal reconstruction 148–52
  - vesicocervical/vesicouterine fistulas 98–101
  - vesicovaginal fistulas 40–4
    - circumferential 74–8
    - vault 61–5
- perineal tears 4, 26–34
  - 1st/2nd/3rd/4th degree 26–7
  - rectovaginal fistula following poor repair of 50
  - self-management 233

- peritoneal cavity
  - rectovaginal fistula repair and
    - circumferential/stenosed 202, 204, 205
    - high/scarred 82, 84
  - vault vesicovaginal fistula repair and 57, 63
- peritoneal pull-through 145–6
- personal history 14
- personnel (staff) development 219
- pharmacy 217
- physical examination 14–15
- physiotherapy 20–1, 218
  - ongoing incontinence 231–3
- planning (preoperative) 23–4
  - bladder stones 130
  - incontinence (ongoing) 166
  - neovagina (colonic) 190
  - perineal tears 27
  - rectovaginal fistulas 47
    - circumferential/stenosed 201
    - high/scarred 81
  - residual and corner fistulas 105
  - ureteric fistulas 118
  - urethral fistula and reconstruction 155
  - urinary diversion 178
  - vaginal reconstruction 141
  - vesicocervical/vesicouterine fistulas 93
  - vesicovaginal fistulas 36
    - circumferential 69
    - vault 57
- postcaesarean section ward 217
- postoperative complications *see* complications
- postoperative management 226–34
  - bladder stones 133, 137
  - incontinence (ongoing) 168–9, 172
  - neovagina (colonic) 192, 197–8
  - perineal tears 29, 32
  - rectovaginal fistulas 49–50, 53–4, 227
    - circumferential/stenosed 205
    - high/scarred 85, 89
  - residual and corner fistulas 110, 114
  - ureteric fistulas 122, 126
- urethral fistula and reconstruction 157–8, 162
- urinary diversion 181, 186–7
- vaginal reconstruction 147, 151
- vesicocervical/vesicouterine fistulas 96, 101
- vesicovaginal fistulas 39, 43, 226–7
  - circumferential 72, 77
  - vault 60, 64
  - ward 217
- postvoid residual volume measurement 229
- pouch, urinary diversion 176–88
- pre-discharge advice *see* discharge advice
- pregnancy
  - future 233–4
    - and delivery with previous perineal tears 29
  - test 23
  - see also* delivery; labour; maternity waiting ward; obstetric causes; obstetric fistulas; postcaesarean section ward
- preoperative assessment 12–17
  - bladder stones 130
  - incontinence (ongoing) 165–6
  - neovagina (colonic) 189–90
  - perineal tears 27
  - rectovaginal fistulas 47
    - circumferential/stenosed 200–1
    - high/scarred 80–1
  - residual and corner fistulas 105
  - ureteric fistulas 118
  - urethral fistula and reconstruction 155
  - urinary diversion 178
  - vaginal reconstruction 141
  - vesicocervical/vesicouterine fistulas 93
  - vesicovaginal fistulas 36
    - circumferential 69
    - vault 56–7
- preoperative clinical management 12–24
  - bladder stones 130
  - incontinence (ongoing) 166
  - neovagina (colonic) 190

- perineal tears 27
- rectovaginal fistulas 47
  - circumferential/stenosed 201
  - high/scarred 81
- residual and corner fistulas 105
- ureteric fistulas 118
- urethral fistula and reconstruction 155
- urinary diversion 178
- vaginal reconstruction 141
- vesicocervical/vesicouterine fistulas 93
- vesicovaginal fistulas 36
  - circumferential 69
  - vault 57
- preparation (patient) 24
  - ward/room 217
- prevalence of obstetric fistulas 1
  - challenges in establishing 218
- prevention of fistulas 5–7
- previous medical and surgical history 14
- prognosis of obstetric fistulas, classification and 11
- psychological care and support 21–2
- psychosocial support 218
- publishing research 238
- pubocervical fascia 9
- pubourethral ligament as anti-incontinence
  - mechanism 156, 166
- pulmonary embolism 222
  
- qualitative research 237–8
- quantitative research 237
  
- radiology 218
- reception 216–17
- records, medical 216–17
- rectovaginal (genito-anorectal) fistulas 1, 46–55, 80–91, 227, 231
  - circumferential/stenosed 200–12
  - classification 11
    - by location 9
  - colostomy *see* colostomy
  - discharge advice *see* discharge advice
  - dye test 16–17
  - high/scarred 80–91, 200, 201
  - outcome assessment *see* outcome assessment
  - self-management 233
  - simple 46–55
  - vesicovaginal fistula and, concurrent 1, 49, 85, 201, 205, 223, 227, 231
- rectovesical space 150, 196
- registration 216
- renal... *see* kidney
- reproductive/genital tract, digital examination and patency 15
- research 236–8
  - methods 237–8
- residual and corner fistulas 104–16
- risk-benefit ratio 236
- rotational flaps, vaginal reconstruction 144
  
- scarring (obstetric fistulas)
  - classification 8, 10, 11
  - extent and location 15
  - rectovaginal fistulas 80–91, 200, 201
  - residual and corner fistulas and excision of scar tissue 113
  - vaginal 14, 150, 196
- scoring systems in prognosis 11
- self-management 233–4
- sensitisation programme 219–20
- sexual intercourse 141, 147, 190, 193, 233
  - dyspareunia and apareunia 224
- Sheehan's syndrome 13, 224
- sigmoid colon *see* colon
- Singapore flap 142–4
- site (location), obstetric fistulas 7, 10, 11
- size (diameter), obstetric fistulas 8, 10, 11
- skin flaps, vaginal reconstruction 141, 144
- skin grafts, vaginal reconstruction 141, 144
- slings
  - circumferential vesicovaginal fistula 76
  - incontinence (ongoing) 165, 172
  - urethral fistula and reconstruction 156



- socioclinical value 236
- Southeast Asia 1, 2
- specialised and dedicated facilities 216–18
- speculum examination 15
- spinal ligament
  - anterior longitudinal 197
  - inferior longitudinal 191
- staff development 219
- stoma clinic 218
- stones
  - bladder *see* bladder
  - vagina 13, 15, 129, 130
- stools *see* faeces
- stress incontinence 225
  - test for 15
- Sub-Saharan Africa 1, 2
- support (patient) 234
- suprapubic route, bladder stones 131–2, 136
- surgery (incl. surgical principles)
  - approaches 24
  - bladder stones 131–2
  - breakdown of repair 224
  - classification and predictive value of 8, 9
  - complications *see* complications
  - corner fistulas 107–10
    - bilateral 108–10
    - unilateral 107–8
  - history-taking of previous surgery 14
  - incontinence (ongoing) 166–8
  - levels of competence *see* levels
  - Mainz pouch II 178–9
  - neovagina (colonic) 190–1
  - outcomes *see* outcome assessment
  - perineal tears 27–8
  - rectovaginal fistula 47–8
    - circumferential/stenosed 201–4
    - high/scarred 81–4, 200, 201
  - residual fistulas 105–6
  - ureteric fistulas 118–21
  - urethral fistula and reconstruction 155–6
  - urinary diversion 178–9
  - vaginal reconstruction 141–6
- vesicocervical/vesicouterine fistulas 93–5
- vesicovaginal fistulas 36–7
  - circumferential 69–70
  - vault 57–9
- surgical skills
  - assessment and development xi
  - levels *see* levels
- symptoms in patient assessment 12, 14
- tension-free closure (vagina)
  - neovagina (colonic) 191
  - rectovaginal fistula 48
    - circumferential/stenosed 202, 204, 210
    - high/scarred 82
  - residual and corner fistula 106, 107, 108, 114
  - urethral fistula and reconstruction 156
  - vesicovaginal fistula 37
    - circumferential 70, 72
    - vault 58
- thrombosis, deep vein 222
- trauma *see* injury
- triple voiding 232
- ultrasound 218
- ultrasound scan 23
- ureter(s)
  - abdominal reimplantation 118, 119
  - fistulas 117–28
  - residual and corner fistula repair and 113
  - in urinary diversion 177, 179, 180, 185
  - vaginal reimplantation 118, 120–1
  - vesicocervical/vesicouterine fistula repair and 100
  - vesicovaginal fistula repair and 38, 42
    - circumferential 76
    - vault 57, 63
- ureterovaginal fistula 23, 117, 118
- urethra
  - catheters *see* catheterisation
  - circumferential vesicovaginal fistula repair and 76

- direction of closure 9
- examination 15
- external meatus 10
- fistula, and reconstruction 154–63
- strictures 69
  - as complication 72, 168, 225
- urge incontinence 231
- urge and urge incontinence 231
- urinary diversion 176–88
- urinary incontinence/urethral incontinence
  - (incl. leakage) 164–74, 225
  - after catheter removal 223, 225
  - ongoing/residual 164–74, 231–2
  - stress *see* stress incontinence
  - with vesicovaginal fistula
    - conservative management in absence of leakage 17–18
    - conservative management with leakage 18–19
- urination *see* voiding
- urine
  - blood in (haematuria) 222
  - postvoid residual volume measurement 229
  - production, lack (anuria) 222
  - retention 229
    - with overflow 225
- uterus
  - bladder mobilisation from 100
  - repair 101
- vagina 140–63
  - dilatation 141, 147, 150
  - flaps 161, 172
  - reconstruction (in severe stenosis) 140–63
  - repair 101
  - residual and corner fistulas and closure of 114
  - scarring 14, 150, 196
  - stenosis, diagnosis 141, 190
  - stones 13, 15, 129, 130
  - strictures 225
- ureteric reimplantation into 118, 120–1
- vesicocervical/vesicouterine fistulas and repair of 101
- vesicovaginal fistulas and closure of
  - circumferential 76
  - simple 42
  - vault 64
- see also* neovagina; rectovaginal fistulas; vesicovaginal fistulas
- vaginal approach/route
  - bladder stones 131, 136
  - neovagina 191
  - rectovaginal fistulas
    - circumferential/stenosed 202, 208
    - high/scarred 82, 87, 88
  - ureteric fistula 124, 125
  - vesicocervical/vesicouterine fistulas 93–4, 101
  - vesicovaginal fistulas (vault) 57–8, 62, 64
  - see also* abdominovaginal approach
- validity 237
- vault vesicovaginal fistulas 56–66
- venous thrombosis, deep 222
- vesicocervical fistulas 92–103
- vesicouterine fistulas 92–103
- vesicovaginal (genitourinary) fistulas 1, 35–45, 56–66, 68–79, 226–7, 228–30
  - circumferential *see* circumferential vesicovaginal fistulas
  - classification 8, 10
  - conservative management 17–19
  - discharge advice *see* discharge advice
  - dye test 16, 42, 47, 49, 58, 63, 69, 76
  - outcome assessment *see* outcome assessment
  - rectovaginal fistula and, concurrent 1, 49, 85, 201, 205, 223, 227, 231
  - residual (after repair) 104–16
  - simple 35–45
  - ureteric fistula and, concurrent 117–18
  - vault 56–66

voiding/urination

residual volume following, measurement

229

timed or planned 232

Waldijk's classification 8-10, 11